## CLAIM AMENDMENTS

## IN THE CLAIMS

This listing of the claims will replace all prior versions, and listing, of claims in the application or previous response to office action:

(Previously Presented) A two dimensional screening array comprising:

a plurality of molecules bound to surfaces of a fused fiber porous material, wherein the array contains at least 100 different molecules, each of the different molecules bound in a different predetermined region of the porous material; said material manufactured from alumina fibers, silica fibers, and a fusion source, wherein said material has a mean pore diameter of greater than 10 microns, and all of said material consists of a density of at least six pounds per cubic foot

- (Canceled)
- 3. (Previously Presented) The array of claim 1, wherein the fusion source is boron.
- 4. (Original) The array of claim 1, wherein the porous material is made from a composition comprising about 1% to about 50% by weight alumina, about 50% to about 98% by weight silica, and about 1% to about 5% by weight boron.
  - 5-6. (Canceled)
- (Previously Presented) The array of claim 1, wherein the exposed porous material surface is about 50% silicon dioxide or higher.

- (Previously Presented) The array of claim 1, wherein the exposed porous material surface is about 75% silicon dioxide or higher.
- (Previously Presented) The array of claim 1, wherein the exposed porous material surface is about 95% silicon dioxide.
  - 10. (Original) The array of claim 1, wherein the molecules are oligonucleotides.
  - 11-12. (Canceled)
  - 13. (Original) The array of claim 1, wherein the molecules are DNA.
  - 14. (Original) The array of claim 1, wherein the molecules are RNA.
  - 15-36. (Canceled)
  - 37. (New) A two dimensional screening array comprising:
- a plurality of molecules bound to surfaces of a fused fiber porous material, wherein the array contains at least 100 different molecules, each of the different molecules bound in a different predetermined region of the porous material; said material manufactured from alumina fibers, silica fibers, and a fusion source, wherein said material has a mean pore diameter of greater than 10 microns, and all of said material consists of a density of at least 12 pounds per cubic foot.
  - 38. (New) The array of claim 37, wherein the fusion source is boron.

4

- 39. (New) The array of claim 37, wherein the porous material is made from a composition comprising about 1% to about 50% by weight alumina, about 50% to about 98% by weight silica, and about 1% to about 5% by weight boron.
- 40. (New) The array of claim 37, wherein the exposed porous material surface is about 50% silicon dioxide or higher.
- 41. (New) The array of claim 37, wherein the exposed porous material surface is about 75% silicon dioxide or higher.
- 42. (New) The array of claim 37, wherein the exposed porous material surface is about 95% silicon dioxide.
  - 43. (New) The array of claim 37, wherein the molecules are oligonucleotides.
  - 44. (New) The array of claim 37, wherein the molecules are DNA.
  - 45. (New) The array of claim 37, wherein the molecules are RNA.